

## Technical Data Sheet



**HZS06-1.3**

**A.G.M. Battery**



<b>Voltage</b>	<b>6v</b>
<b>Capacity @ 20 HR</b>	<b>1.3ah</b>
<b>Capacity @ 10 HR</b>	<b>1.2ah</b>
<b>Capacity @ 5 HR</b>	<b>1.0ah</b>
<b>Capacity @ 1 HR</b>	<b>0.7ah</b>
<b>Tab or Thread insert</b>	<b>Tab</b>
<b>Thread insert size (mm)</b>	<b>N/A</b>
<b>Maximum discharge (amps)</b>	<b>13</b>

**Dimensions (mm)      Weight (kg)**

<b>Length</b>	<b>98</b>	<b>0.32</b>
<b>Width</b>	<b>25</b>	
<b>Height</b>	<b>52(56)</b>	

**Dimensions (ins)      Weight (lbs)**

<b>Length</b>	<b>3.86</b>	<b>0.70</b>
<b>Width</b>	<b>0.98</b>	
<b>Height</b>	<b>2.05(2.20)</b>	

General applications include: Float service, Medical, Telecommunications, Solar, Wind, Navigation aids, Switch gear, Photovoltaic, Marine equipment, Cathodic protection Cellular radio stations.